

| <b>Grade Name</b> | <b>Br (KG)</b> | <b>HcB (KOe)</b> | <b>Hci (KOe)</b> | <b>BHmax(MGOe)</b> | <b>Tmax</b> |
|-------------------|----------------|------------------|------------------|--------------------|-------------|
| BDM-4             | 3.5-4.5        | ≥3.0-3.5         | ≥8-10            | 3-4                | 120C / 248F |
| BDM-6             | 5.0-6.0        | ≥4.0-4.5         | ≥8-10            | 5-7                | 120C / 248F |
| BDM-8             | 5.5-6.5        | ≥4.5-5.0         | ≥12-14           | 5-8.5              | 150C / 302F |
| BDM-10            | 6.5-7.0        | ≥5.0-5.5         | ≥8-10            | 9-10               | 150C / 302F |
| BDM-12            | 7.0-8.0        | ≥5.5-6.0         | ≥9-11            | 10-12              | 80C / 176F  |
| BDM-L             | 7.0-8.0        | ≥2.0-2.5         | ≥2.2-3.0         | 4.5-6.5            | 80C / 176F  |